AMENDED MINUTES BOARD OF ZONING APPEALS JUNE 18, 2020 LAKEWOOD CITY HALL

PRE-REVIEW MEETING 6:00 P.M.

REVIEW MEETING 6:30 P.M. VIRTUAL MEETING

Under the orders of the Governor and Director of Health of Ohio, the Board of Zoning Appeals will meet remotely until further notice.

The June 18, 2020 remote meeting information will be posted by 5:00 PM the day of the meeting at http://www.onelakewood.com/accordions/zoning-appeals/

1. Roll call

Members Present
Michael Alexander
Christopher Bindel, Chair
Jillian Bolino
Greg Mahoney
Megan Otter

Other
Michelle Nochta, Planner, Secretary

Joseph Meyers, Building Commissioner Andrew Fleck, City Prosecutor Allison Hennie, Urban Designer

2. Approve the minutes of the February 20, 2020 meeting

A motion was made by Mr. Bindel, seconded by Mr. Mahoney to approve the February 20, 2020 meeting minutes. Mr. Alexander, Mr. Bindel, Ms. Bolino, Mr. Mahoney voting yea, Ms. Otter abstaining, the motion passed.

3. Approve the minutes of the May 21, 2020 meeting

A motion was made by Mr. Bindel, seconded by Mr. Mahoney to approve the May 21, 2020 meeting minutes. Mr. Alexander, Mr. Bindel, Ms. Bolino, Mr. Mahoney voting yea, Ms. Otter abstaining, the motion passed.

4. Opening Remarks

Ms. Nochta read the Opening Remarks into record.

5. Election of Officers - deferred from May Meeting

Election of Officers was conducted during the pre-review meeting. Mr. Bindel was elected as 2020 Chair, and Ms. Otter was elected as 2020 Vice Chair.

OLD BUSINESS

6. Docket No. 02-06-20 12558 Clifton Blvd.

Applicant Edward Slusarski of Cadd Creations proposes the demolition and rebuild of the existing front porch. The proposal reduces the front yard building line setback by 5 ft. The property is in the R2, Single- and Two-Family Residential District. (Page 4)

• <u>Variance Request:</u> Minimum front yard building setback is 45 feet. Proposal places front porch at 40 feet. Request a variance to reduce minimum front yard setback by 5 ft. Pursuant to section 1123.07 (Ord. 91-95. Passed 10-7-1996.)

Administrative staff received communication the item was withdrawn at the request of the applicant. No action was required from the Board members ("Board").

7. Docket No. 05-08-20 1121 Wilbert Dr.

Applicant David Maddux, The Arcus Group Inc., proposes adding a full second and a third floor to the existing primary building as well as a two-story addition on the south side of the existing home. The addition would reduce the front yard setback from the required 50 feet on Lake Avenue to 46 feet. The property is in the R1M, Single family Residential District. (Page 8)

• <u>Variance Request</u> The required front yard setback on Lake Avenue is 50 feet. The proposal reduces the front yard on Lake Avenue to 46 feet. Request a variance of 4 feet to reduce the front yard setback to 46 feet. Pursuant to section 1121.07 (Ord. 91-95. Passed 10-7-1996.)

Administrative staff received communication the item was withdrawn at the request of the applicant. No action was required from the Board members ("Board").

NEW BUSINESS

8. Docket No. 06-09-20 12311 Ployer St.

The City of Lakewood's Division of Community Development, applicant and property owner, proposes the construction of a new house and garage on a vacant lot. The vacant lot is 2,800 square feet. The 769 square foot primary structure as proposed would be built 4 feet from the public right of way and front property line, the foundation is also proposed at 20 feet 8 inches feet from the rear property line. The structure would cover 27.5% of the lot. On the west property line, the foundation wall would be 3 feet two inches from the property line, and the single car garage is proposed to be placed in the side yard on the east side of the lot. The two structures as proposed would require a total of 5 variances. Located in the R-2 Single- and Two-Family Residential District. (Page 10)

Variance Request #1: The required front yard setback on Plover is 10 feet per the Building Line Map. The proposal reduces the front yard on Plover to 4 feet. Request a variance of 6 feet. Pursuant to section 1123.07 (Ord. 91-95. Passed 10-7-1996.)

- Variance Request #2: The maximum permitted area lot coverage by a primary structure is 25%, or 700 square feet in the R2 district. The proposed primary structure covers 769 square feet which is 27.5% of the 2,800 square foot lot. Request a variance to exceed maximum primary lot coverage by 69 square feet and cover a total of 27.5% of the primary lot. Pursuant to section 1123.09(a) (Ord. 91-95. Passed 10-7-1996.)
- Variance Request #3: The required rear yard setback is 40 feet. The proposed rear yard is 20 feet 7 inches. Request a variance of 19 feet 5 inches feet to reduce the size of the rear yard setback to 20 feet 7 inches feet from the required 40 feet. Pursuant to section 1123.07 (Ord. 91-95. Passed 10-7-1996.)
- <u>Variance Request #4</u>: The required side yard setback on each side of the primary structure is a minimum of 5 feet. Proposed primary structure is set at 3 feet 2 inches feet from the west property line. Variance request of 1 foot 10 inches. Pursuant to 1123.07 (Ord. 91-95. Passed 10-7-1996.)
- <u>Variance Request #5</u>: Accessory structures shall not cover more than 25% of the rear yard or 480 square feet, whichever is greater. The proposal a 328 square foot garage in the side yard. Request a variance to place the 328 square foot garage as proposed in the side yard. Pursuant to 1123.09(c) (Ord. 91-95. Passed 10-7-1996.)

Charles McGettrick, Architects, C.A. McGettrick, LLC and Mary Leigh, Programs Manager for the Division of Community Development were present to explain the request. The Board was impressed with the proposal. Discussion ensued about the setbacks of the former structure, square footage of the proposed, the garage. Public comment was closed as there was no one to address the item.

A motion was made by Mr. Mahoney, seconded by Mr. Bindel to **APPROVE** the request for five variances as presented. All the members voting yea, the motion passed.

Docket No. 06-10-20 1101 Maple Cliff Dr.

Applicant Charles McGettrick, Architects, C.A. McGettrick, LLC proposes the renovations and addition to the exiting primary structure. The required rear yard setback is 40 feet. The proposed addition would reduce the rear yard setback to 34 feet 6 inches. Property is located in the R1H Residential High-Density Single-Family District. (Page 17)

 <u>Variance Request</u>: Request a variance of 5 foot 6 inches to reduce the rear yard setback from the required 40 feet to the proposed 34 feet 6 inches. Pursuant to 1121.07 (Ord. 91-95. Passed 10-7-1996.)

Charles McGettrick, applicant was present to explain the request. The Board asked about public notices, discussed height variances for any potential future addition. An email of objection was received (made part of record). Discussion continued about the addition being much deeper on the property and approval could set a precedence. Questions were asked about retention and reference of records in the Division of Housing and Building. Discussion continued about approving the variance request with a condition. Administration said the request was a modest one. Public comment was closed as there was no one to address the item.

A motion was made by Mr. Alexander, seconded by Mr. Mahoney to **APPROVE** the request as submitted with the following condition:

Any variation to the request would have to come before the Board.

Alexander Ms Roling Mr Mahoney Ms Otter voting year and Mr Bindel voting notice.

Mr. Alexander, Ms. Bolino, Mr. Mahoney, Ms. Otter voting yea, and Mr. Bindel voting nay, the motion passed.

10. Docket No. 06-11-20 17812 Shaw Ave.

Applicant John D'Amico of the Great Garage company propose the demolition of the existing garage and the construction of a new wooden garage setback 6 inches from the side and rear property line. The minimum setback for a wood garage is 18 inches. Request a variance to construct a wooden garage 6 inches from the rear and one side property line. Property is located in the R2 Single- and Two- Family Residential District. (Page 28)

- <u>Variance</u> #1: Accessory structures constructed of wood may not be located within 18 inches
 of a side and rear property line. Request a variance of 12 inches to place a wood accessory
 structure 6 inches from the rear lot line. Pursuant to section 1123.10(a) (Ord. 32-16. Passed
 9-6-2016.)
- <u>Variance</u> #2: : Accessory structures constructed of wood may not be located within 18 inches
 of a side and rear property line. Request a variance of 12 inches to place a wood accessory
 structure 6 inches from the side lot line. Pursuant to section 1123.10(a) (Ord. 32-16. Passed
 9-6-2016.)

John D'Amico, applicant was present to explain the request. the Board asked for measurements, asked if there was enough space between the neighboring and proposed garages for maintenance purposes, confirmed there was a property survey, asked why the garage was at an angle, confirmed the structure would have fire barriers, asked about gutter drainage, asked if all the garages in the area abutted one another. Ms. Nochta stated the administration's position. Public comment was taken from the property owner.

A motion was made by Mr. Bindel, seconded by Mr. Mahoney to **APPROVE** the request for two variances as presented. All the members voting yea, the motion passed.


ADJOURN


A motion was made by Mr. Bindel, seconded by Ms. Bolino to **ADJOURN** the meeting at 7:30 P.M. All the members voting yea, the motion passed.


Milly Nothwo for Signature Emiles


Date


1-16-2020


















Please use the chat function to be recognized for nublic comment

Docket No. 02-06-20 12558 Clifton Boulevard

Docket No. 02-06-20 12558 Clifton Blvd.

Applicant Edward Slusarski of <u>Cadd</u> Creations proposes the demolition and rebuild of the existing front porch. The proposal reduces the front yard building line setback by 5 ft. The property is in the R2, Single-and Two-Family Residential District

<u>Variance Request:</u> Minimum front yard building setback is 45 feet. Proposal places front porch at 40 feet. Request a variance to reduce minimum front yard setback by 5 ft. Pursuant to section 1123.07 (Ord. 91-95. Passed 10-7-1996.)


9


9
















Please use the chat function to be recognized for public comment

Docket No. 02-06-20 12558 Clifton Boulevard


Docket No. 02-06-20 12558 Clifton Blvd.

Applicant Edward Slusarski of $\underline{\text{Cadd}}$ Creations proposes the demolition and rebuild of the existing front porch. The proposal reduces the front yard building line setback by 5 ft. The property is in the R2, Single-and Two-Family Residential District

<u>Variance Request:</u> Minimum front yard building setback is 45 feet. Proposal places front porch at 40 feet. Request a variance to reduce minimum front yard setback by 5 ft. Pursuant to section 1123.07 (Ord. 91-95. Passed 10-7-1996.)

17

17



Please use the chat function to be recognized for public comment

Docket No. 02-06-20 12558 Clifton Boulevard


Docket No. 02-06-20 12558 Clifton Blvd.

Applicant Edward Slusarski of <u>Cadd</u> Creations proposes the demolition and rebuild of the existing front porch. The proposal reduces the front yard building line setback by 5 ft. The property is in the R2, Single-and Two-Family Residential District

<u>Variance Request:</u> Minimum front yard building setback is 45 feet. Proposal places front porch at 40 feet. Request a variance to reduce minimum front yard setback by 5 ft. Pursuant to section 1123.07 (Ord. 91-95. Passed 10-7-1996.)


19


19

















2.


25


Please use the chat function to be recognized for public comment	
Whether there exist are conditions, such as narrowness, shallowness, or topography, unique to the property in question that are not applicable generally to other land	es or structures in the same strong district. No, the lot is standard side for the area.
	No. the lot is standard pide for the area.
Whether the property in question is located near a non-exoformizing or non-harmonious use, structure, or sits conditions, or whether the property in question abuts a fa	Ha whichive tenno defrict
response to the profession of the professional and the companion of the profession and th	No. the property is in a respired at the sea
Whether the property in question will yield a reasonable return or whether there can be any beneficial use of the property without the variance(s).	
	(fee, the soft the adolption will provide will allow the passe this family needs, now that their aging carents will be living with them.
Whether the variance(a) is pubstantial;	Ric. Min the proposed addition, the rear yard setback will be 04.7. Where as the required setback is 40.0. A difference of 5.7, so not substantial
	THE PROPOSED SOCIOES, the rear year section is the De DH Where it the required section is 40.0 A citation to 40.0, 30 net southernoon.
Whether the essential character of the neighborhood would be substantially abored or whether adjoining properties would suffer a substantial detriment as a result of	the variance(s):
	90. The addition is designed to be in narrieny with the existing structure. As a result self not standout among the neighboring homes
Whather the variance(s) would accessely affect the delivery of governmental services (e.g., woter, bewer, refuse removal).	10.
	510. The addition will have no affect on government services
Shapher be properly senior purchased the property with knowledge of the stoning restriction.	
	No
Whether the property owner's predicament fessibly can be obvisited through some method other than a variance(s); and	
Whether the spirt and intent of the Code aculd be observed and outstanded justice done by granting the variance(s)	
	Nes.
	to code.
	26
	20
l .	





















Dear Board.

nment

My client is requesting a 12" variance on the sideline and 12" on the rear line of their proposed detached garage, placing their new garage 6" off the side and rear lines. Please note that because the garage is at an angle on the property, we will not maintain the 6" distance along any side but will increase in distance as each opposite corner moves away from each starting point of 6" (see prints). Just as the current garage location is currently angled 16"(+-) off the sideline at the front of the garage and 24"(+-) at the rear. In addition we will be utilizing a one-hour firewall on the side and rear walls.

At 18' deep, the current garage is way undersized, not up to today's standards and can barely fit a car inside. The proximity of the garage to the house steps located off the rear porch is 11' (+-). Finally with the garage being only 12' wide I think we can all agree that it leaves no room for the most basic storage needs to run a household.

We are simply trying to provide this property with one covered parking spot and a small amount of storage, as we seek to build an 18" x 20" garage. Seeing that a standard garage starts at 20" x 20", this proposed garage will be at the same size as many other garages in the neighborhood or more likely, smaller than most.

Parking a vehicle inside is paramount to alleviate off street parking. The short lot that this home has only allows one guest car to park and our client has two cars that consume two of the three spots available on their property. Shaw is a short street with a good amount of doubles and multi family housing at the end of the street. In addition, restricted parking on Webb during school hours creates even more of a demand for parking on Shaw, which doesn't leave much room for residents.

Without this variance my clients would be forced to shrink what we feel is already at a minimum garage size, plus reduce the overhead door size as to clear the gate and keep the door out of the envelope of the house. With the house located close to the rear of the property, it would leave us about $5\,\%$ from the garage to the rear steps.

We don't believe this variance would be substantial in any way because it conforms closely to the majority of the garages that are built close to the property line with some being on the line.

By granting this homeowner full use of their property, there would be no effect on any city services, no special privileges would be provided. There are no circumstances here that the homeowner created.


And finally we believe the spirit and intent of the zoning requirement would be maintained under these special circumstances by granting this variance.

We ask that the board would strongly consider our recommendation.

Thank You, John D'Amico The Great Garage Company


36


























































FILE COPY

BOARD OF ZONING APPEALS

12650 Detroit Avenue • 44107 • (216) 529-6630 • FAX (216) 529-5907 www.onelakewood.com/development

Application Cover Page

Docket No.: 07-12-20

Reference No.: BZA20-000024

Applicant Name: Nicholas and Christina LaPointe

Project Name:

Project Address: 1295 Manor Park Avenue

Proposal: The reconstruction of a historic side porch and installation of a new

front porch.

Fee Paid: \$25.00

1. PROPERTY ADJRESS
11. TORM MADRIE MAKE AVE.
2. BULDING CODE:
2. SULUNG CODE:
2. SULUNG CODE:
3. 107 SHIP MADRIENTAL CODE FOR ONE & TWO
2. STOT OHIO RESIDENTAL CODE FOR WE & TWO
3. 107 SHIP MADRIENGS
3. 107 SHIP MADRIENGS
3. 107 SHIP MADRIENGS
4. REAL TORK SIDE PORT & SIDE COVERLU
4. SURSE AS SIDE PORT TO SIDE PORT ALS SIDE FOR THE LOAD SHIP MADRIENGS
5. REAL TORK SIDE PORT TO PERFORM TO SIDE SHIP MADRIENGS
5. REAL TORK SIDE FOR THE LOAD SHIP MADRIENGS
6. MEAP PLANK SHOL LOAD SPET
5. SHORD WE LOAD SPET
6. MEAP PLANK SHOL LOAD SPET
6. MEAP RANK SHOL SHAMING SHIP SHAMING SHIP SHAMING SHE FOR THE COVER BY OWNER'S
6. MEARING SPECIFICATIONS.
6. MADRIENGS SHORD SHAME SHAMING SHAME 0.3 Model, GRADE "N" ASTN C 90—03.

MORTAL: I PART BELLOTT TO \$4-MT INTE 10.3 PART SAME TO \$4-MT INTE 10.3 PART SAME FOUNDATION COLOR TO MATCH EGAINT FOUNDATION. TO \$7-MT INTE SAME TO MAY CARREST TO MATCH TO MATCH TO \$7-MT INTERPRETATION TO \$7-MT ADDED SETBACK DIMENSIONS
FOR CONSTRUCTION
RPAARKS X SHEET # WILKE.

SECTION OR DETAIL

CAN BE FOUND SECTION OR DETAIL SI E PLAN
DEMOITION PLAN
PORCH FRAMING & FLOOR PLAN
CROSS SECTION (ROUT)
CROSS SECTION (SIDE) SITE PLAN-01 | NAL | NAL | FON CONSTRUCT | NAL | NAL | FON CONSTRUCT | NAL | NA DETAIL INDICATOR SHEET INDEX DRAWING SUBJECT SITE PLAN W/ GENERAL NOTES Drawing Number SHEET # FROM WHICH SECTION OR DETAIL IS CUT SCALE AS NOTED GENERAL NOTES: 05/31/2020 05/31/2020 REV DATE I on -7.3 7.5 7.5 7.5 SETBACK DIMENSIONS PRIMARY STRUCTURE (GARAGE EXCLUDED) FOR CONSTRUCTION PROPOSED 45,-4" 166'-2" 8'-5" 2'-4" Board of Zoning Appeals Approved as set forth in the minutes JUL 16 2020 meeting. EXIS IING 48,-0... 156'-2" 7.-4" 7'-8" City of Lakewood SOUTH NORTH WEST EAST Chairma ŏ 273.-18/15 (.X99A) "\$\.-'ZET CONC. DRIVE (EXISTING) 1295 MANOR PARK SITE PLAN RECONSTRUCTED SIDE PORCH 91,-2"(APPX.) 7'-3" .0~.6 B'-0" 30-75 22'x27' SINGLE STORY GARAGE 594 SF 33'-10" 42, SUBSURFACE GARAGE ELECTRICAL & SOLAR FEED STAMPED CONCRETE SIDEWALK REAR ENTRY TIMBER DFCK (EXISTING) NOTE: 10' O' OFFSEI PIMENSION MATCHES ADJ. HOUSE PORCHES LINESTONE PAVER PAVER PAVER PAVER THE NE DOWNSPOUT INTO HOUSE STORWWATER DRAINAGE SYSTEM NORTAGNUS REPUR REPUR FOUNDATION
NORTAG JOHNS ON STATE JOHNS TO RESERVE
CLEAN AND MASTIC SEAL FOUNDATION REPORTS
CLEAN AND MASTIC SEAL FOUNDATION REPORTS
ESTIMATED THE FAVERS
AS STORE FOR OWNER'S 19S. & RESET 510E DOOR PAVER
TO STORE FOR OWNER'S 19S. & RESET 510E DOOR PAVER
TO STATE JOHN FOR OWNER'S 19S. A RESET TO STATE TO THE STATE OWNER
TO STATE JOHN TO STATE J

1295 MANOR PARK AVE. FRONT & SIDE PORCH PROJECT PROJECT DESCRIPTION

In 2016, my family and I relocated to Lakewood, OH. We chose the City of Lakewood because of its sense of community, diversity, its walkability, and its location. We adore the architecture of the homes and the front porches where neighbors catch up on current events. In early 2020, after removing sagging portions of the existing side porch ceiling, I found improperly framed ceiling rafters creating the sagging conditions in the ceiling and cracking of the column capitals. Additional rotten deck joists and other conditions issues were found as I continued in my exploratory efforts to possibly salvage the side porch of our home. Out of a concern for safety, the side porch was demolished in the Spring of 2020.

The 1295 Manor Park Front & Side Porch Project will fully reconstruct the side porch and turn it into a space which can be enjoyed majority of the year as a three-season porch. The side porch will be appx. 130 square feet. Minor adjustments to the side porch width will also increase the existing driveway clearance by appx. 6". To the east (rear of home), the side porch will open up onto a limestone landing through a double set of French doors to a set of stairs which will be constructed to match the stairs in the front of the house. This will connect our limestone patio to the side porch. To the west (front of home), the three-season porch will open up to a newly installed front porch (330 square feet) which will match and be architecturally consistent with the homes immediately to the right and left of our home at 1295.


It is not only important to us that we complement the other homes on our block, we believe it is important that the changes we make match the existing design of our home. Therefore, we intend on matching many of the existing details and plan on salvaging and reconstructing similar features. This includes reusing the historic columns, repurposing the side porch planter boxes, side three season porch window/door selection, limestone stair treads and cap stones, existing stoop roof details, etc.


If you should have any questions, please do not hesitate to contact me regarding this Project.


Nicholas A. LaPointe, P.E.


Homeowner 419-349-7553


Nalapointe1@gmail.com











1295 MANOR PARK AVE. PRE-SIDE PORCH DEMOLITION (2015)



LIMESTONE CAP STONES AND STAIR TREADS TO BE RE-USED ON NEW STAIRS. NEW PORCH STAIRS WILL MATCH EXISTING WITH BRICK WING WALLS LEFT AND RIGHT OF NEW LIMESTONE TREAD STAIRS.

PELLA ARCH. SERIES **EXISTING** WINDOWS

DETAIL TYP. ON NEW

FRONT

PLANTER BOXES USED ON NEW FRONT **PORCH** 4 EA.

SALVAGED COLUMNS REBUILD FOR FRONT PORCH, SIDE 4 EA. PORCH TO VISUALLY MATCH BUT WILL BE A COMPOSITE VS. TIMBER

1295 MANOR PARK AVE. POST SIDE PORCH DEMOLITION



NEW PORCH ROOF: MATCH EXISTING CAMELOT II PREMIUM ROOF SHINGLES

STOOP ROOF DETAIL TYP. ON NEW FRONT PORCH OVER FRONT ENTRY PORCH HIP ROOF TO TIE IN ON RIGHT

SALVAGE &
RESET
LIMESTONE IN
FRONT OF RECONSTRUCTED
STOOP TO
MATCH
EXISTING







12650 Detroit Avenue • 44107 • (216) 529-6630 • FAX (216) 529-5907 www.onelakewood.com/development

Application Cover Page

Docket No.: 07-13-20

Reference No.: BZA20-000027


Applicant Name: Patti Saracusa, Dover Home Remodelers

Project Name:

Project Address: 1003 Parkside Drive

<u>Proposal</u>: The expansion of an existing two-car to a three-car garage.

Fee Paid: \$25.00







Dover Home Remodelers 29341 Lorain Road North Olmsted, OH 44070 Office 440.777.7555 Fax 440.777.8188 Douer Floor & Tile Center 26824 Lorain Road North Olmsted, OH 44070 Office 440.423.TILE (8453) Fax 440.777.8188

www.doverremodeling.com www.doverfloorandtile.com

6/19/2020

I authorize members of the City of Lakewood's Building Department and/or Planning Department to access my property for the limited purposes of photographing and verifying the location and dimension of the area affected by my application. I authorize Dover Home Remodelers to submit application on my behalf.

Owner Name: Anjay Khandelwhal

Property Address: 1003 Parkside Drive

Agent Contact: Patti Saracusa


Dover Home Remodelers 26824 Lorain Rd.


North Olmsted, OH.44070











Home Remodelers, Inc. 05/18/2020 1/4"=1'-0
Drawn By: CA
Sales Rep: pc CUSTOMER SIGNATURE_ ZIP CODE: 44107 PHONE: H _ _ _ DATE JAVOR99A JANIR LAKEWOOD, OH :YTIO CUSTOMER SIGNATURE. ADDRESS: 1003 PARKSIDE DR. 08/24/2020 KHANDELWHAL RESIDENCE :3MAN PRELIMINARY PRPROPL DATE DATE REVISIONS THESE DRAWINGS AND DESIGNS WILL BE ELEASED AT AUTHORIZATION OF PROJECT. ANY USAGE WITHOUT WRITTEN CONSENT WILL ELERE MAY BAD ALL RESPONSIBILITIES OF DOVER HOME REMODELESS, INC. ALL RIGHTS ARE HEREBY SPECIFICALLY RESERVED. 12 ±9 PROPOSED REAR ELEVATION Scale: 1/4" = 1'-0" (E) DECK (E) DECK DEMO REAR ELEVATION Scale: 1/4" = 1'-0" (E) WOOD FENCE KITCHEN F.F. -KITCHEN F.F. DECK F.F. DECK F.F. DORMER F.F. 2ND FLOOR F.F. DORMER F.F. (E) WOOD FENCE --2ND FLOOR F.F.





